

ESSEX COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
1A	FRYEBURG SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
2A	LOVEWELL SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
3A	CHARLES SILT LOAM, 0 TO 2 PERCENT SLOPES	6	
4A	MEDOMAK MUCKY SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
6A	ADAMS LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	1	
6B	ADAMS LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	1	
6C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
6D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
6E	ADAMS LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1	b
7E	SALMON SILT LOAM, 25 TO 50 PERCENT SLOPES	6	
8A	NICHOLVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES	4	
8B	NICHOLVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
8C	NICHOLVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
9A	ROUNABOUT SILT LOAM, 0 TO 5 PERCENT SLOPES	6	
10A	DUXBURY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	1	
10B	DUXBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	1	
10C	DUXBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	1	
10D	DUXBURY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	b
10E	DUXBURY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES	1	b
11A	MACHIAS FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	4	
11B	MACHIAS FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
11C	MACHIAS FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
12A	GRANGE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES	6	
13A	SEARSPORT MUCK, 0 TO 5 PERCENT SLOPES	6	
14B	VERSHIRE-DUMMERSTON COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
14C	VERSHIRE-DUMMERSTON COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
14D	VERSHIRE-DUMMERSTON COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	3	a, c
20B	BUCKLAND SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
20C	BUCKLAND SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
21C	BUCKLAND SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
21D	BUCKLAND SILT LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
22B	CABOT LOAM, 0 TO 8 PERCENT SLOPES	6	

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

ESSEX COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
22C	CABOT LOAM, 8 TO 15 PERCENT SLOPES	6	
23B	CABOT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY	6	
23C	CABOT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	6	
24A	PEACHAM MUCK, 0 TO 5 PERCENT SLOPES, VERY STONY	6	
27A	LUPTON MUCK, 0 TO 2 PERCENT SLOPES	6	
30A	ONDAWA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
31A	PODUNK FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
32A	COLTON GRAVELLY LOAMY SAND, 0 TO 3 PERCENT SLOPES	1	
32B	COLTON GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES	1	
32C	COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	1	
32D	COLTON GRAVELLY LOAMY SAND, 15 TO 25 PERCENT SLOPES	1	b
32E	COLTON GRAVELLY LOAMY SAND, 25 TO 60 PERCENT SLOPES	1	b
38A	CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	4	
38B	CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	4	
40A	SUNDAY FINE SAND, 0 TO 3 PERCENT SLOPES	6	
41A	CORNISH SILT LOAM, 0 TO 2 PERCENT SLOPES	6	
42A	RUMNEY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	6	
43B	AU GRES LOAMY SAND, 0 TO 6 PERCENT SLOPES	6	
50A	WONSQUEAK AND MARKEY MUCKS, 0 TO 2 PERCENT SLOPES	6	
56C	GLOVER-VERSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
61C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
61D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	5	a, c
61E	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	6	
63B	TUNBRIDGE-BERKSHIRE COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
63C	TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
63D	TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	3	a, c
64B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
64C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
64D	BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
65B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
65C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
65D	BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	2	b

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

ESSEX COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
65E	BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	6	
72B	COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
72C	COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
72D	COLONEL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
73B	COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
73C	COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
73D	COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
75B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
75D	MONADNOCK FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	2	b
86C	CABOT FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	6	
99A	MADAWASKA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	4	
99B	MADAWASKA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
100	PITS, SAND AND PITS, GRAVEL	7	
159C	PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
159D	PERU FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES	4	c
160C	PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
160D	PERU FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
214C	VERSHIRE-DUMMERSTON COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	3	a
214D	VERSHIRE-DUMMERSTON COMPLEX, 15 TO 35 PERCENT SLOPES, VERY STONY	3	a, c
238A	NASMITH FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
W	WATER, LESS THAN 40 ACRES	7	

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.